

The tests listed in this table will be DELETED from our catalog. Replacement or alternate tests are noted if applicable.			
Order Code	Effective Date	Deleted Test	Replacement / Alternate Test
45097	07-01-18	AneuVysion FISH, Amniotic Fluid	Miscellaneous FISH Study (45019)
45122	07-01-18	Angelman Syndrome, FISH	Miscellaneous FISH Study (45019)
45119	07-01-18	DiGeorge Syndrome (VCFS) by FISH	Miscellaneous FISH Study (45019)
25073	07-01-18	Microalbumin Screen, Urine, Random	Microalbumin, Quantitative, Urine, Random (28009)
36161	07-01-18	Paroxysmal Nocturnal Hemoglobinuria by Flow Cytometry	Paroxysmal Nocturnal Hemoglobinuria (PNH), High Sensitivity, RBC and WBC (36177)
45121	07-01-18	Prader-Willi Syndrome by FISH	Miscellaneous FISH Study (45019)
46058 46059	07-01-18	Synthetic Cannabinoid Metabolites Screen with Reflex to Confirmation, Urine, AND REFLEX: Synthetic Cannabinoid Metabolites Confirmation (Qualitative), Urine	Synthetic Cannabinoid Metabolites - Expanded, Urine (Qualitative) (46116)

47574 4Kscore Test

Effective Immediately

Patient prep: Test must be discussed with patient prior to ordering. Patient history, biopsy history and digital rectal exam (DRE) results are required for testing.

Add prompt components (questions):

- 1747574 4K – Order Discussed with Patient
- 1847574 4K – Patient History

Remove component:

- 1347574 4K - Negative Predictive Value (NPV)

47558 Autoimmune Neurologic Disease Reflexive Panel

Effective Immediately

CPT Code: 83516x3; 83519x3; 86255x4; 86341

44223 C-1-Esterase Inhibitor, Functional

Effective Immediately

Frozen serum is the only specimen type for this test. Plasma (EDTA) is no longer acceptable.

44249 Candida albicans Antibody by Immunodiffusion

Effective Immediately

Performing laboratory changed to Quest Diagnostics Infectious Disease, Inc.

There is a price increase associated with this change.

NOTE: Preferred test is SBMF# 45895 – Candida Antibodies, IgA, IgG, and IgM by ELISA.

47560 Candida Species by PCR

Effective Immediately
Whole blood (EDTA) added as acceptable specimen type.

NEW TEST

47640 Ethyl Glucuronide, Umbilical Cord Tissue, Qualitative

Available Now

44092 Fluoxetine and Metabolite, Serum or Plasma

Effective Immediately
Plasma (EDTA) added as acceptable specimen type.

28022 Fungal Antibodies by Immunodiffusion

Effective July 1, 2018
Remove component:
• 1028328 Histoplasma Ab Interp

28322 Fungal Antibodies by Immunodiffusion, CSF

Effective July 1, 2018
Remove component:
• 1028263 Histoplasma Ab Interp, CSF

46104 Gamma-Hydroxybutyric Acid Screen with Reflex to Confirmation, Urine

Effective Immediately
Changes to reflex testing components and algorithm
If screening result is abnormal, then GHB Confirmation will be added.

46108 REFLEX: Gamma-Hydroxybutyric Acid Confirmation, Urine

Add components:
• 1146108 GHB (Creatinine Corrected)
• 1246018 Creatinine, Urine

If Creatinine result is abnormal, then Specific Gravity Confirmation will be added.

46119 REFLEX: Specific Gravity Confirmation, Urine

44732 Hemoglobin A1c by Capillary Electrophoresis

Effective Immediately
Methodology changed. Formerly HPLC/Boronate Affinity
Test Name Changed. Formerly "Hemoglobin A1c, Boronate Affinity"
NOTE: Preferred test is SBMF# 23409 – Hemoglobin A1c by the Roche Tina-quant assay.

28259 Histoplasma Antibody by Immunodiffusion

Effective July 1, 2018
Remove component:
• 1028328 Histoplasma Ab Interp

28263 Histoplasma Antibody by Immunodiffusion, CSF

Effective July 1, 2018

Remove component:

- 1028263 Histoplasma Ab Interp, CSF

NEW TEST

47639 Imatinib, Plasma

Available Now

47324 KIT (D816V) Mutation by PCR

Effective Immediately

Whole blood (EDTA) or Bone marrow (EDTA) are the only specimen types for this test. Fresh Tissue and FFPE Tissue are no longer acceptable.

NEW TEST

42373 Leukotriene E4, Urine

Available Now

44436 Mycophenolic Acid and Metabolites, Serum or Plasma

Effective July 1, 2018

Remove component:

- 1044436 Mycophenolic Acid Acyl-Glucuronide

NOTE: This component will be reported as "Not Performed" until it is removed on the effective date.

44881 Osmotic Fragility, Erythrocyte

Effective July 1, 2018

Remove component:

- 1144881 EER Osmotic Fragility

NOTE: This component will be reported as "Not Provided" until it is removed on the effective date.

NEW TEST

36177 Paroxysmal Nocturnal Hemoglobinuria (PNH), High Sensitivity, RBC and WBC

Effective July 1, 2018

44440 Schistosoma Antibody, IgG

Effective Immediately

Performing laboratory changed to Quest Diagnostics Infectious Disease, Inc.

There is a price increase associated with this change.

NEW TEST

46116 Synthetic Cannabinoid Metabolites - Expanded, Urine (Qualitative)

Available Now