

The tests listed in this table will be DELETED from our catalog.
Replacement or alternate tests are noted if applicable.

Order Code	Effective Date	Deleted Test	Replacement / Alternate Test
45169	Immediate	Fusarium oxysporum/vasinfectum Antibody by ID	N/A – Reagent not available
36034	05-01-18	Non-Small Cell Lung Carcinoma Panel by FISH (ALK, RET, ROS1)	Non-Small Cell Lung Carcinoma Panel by FISH (ALK, RET, ROS1, MET) (36035)
30175	05-01-18	QuantiFERON-TB Gold	QuantiFERON-TB Gold Plus (30182)

NEW TEST

46115 Benzene OSHA Exposure Panel, Urine

Available Now

46124 Fluoride, Serum or Plasma

Effective April 30, 2018

Test name changed.

Specimen Collection Information changes:

- Specimen Type: Serum or Plasma
- Specimen Container: Lavender top (EDTA) tube
- Alternate Container: Red top (Serum) tube
- Preferred Volume: 2 mL

Methodology changed – Ion Chromatography (IC) changed to Ion Specific Electrode (ISE)

NEW TEST

42122 Gastrointestinal Pathogen Panel, PCR, Feces

Available Now

This assay is performed using the FDA-cleared FilmArray GI Panel (BioFire Diagnostics, Inc.)

NEW TEST

36279 MET Gene Amplification by FISH

Available May 1, 2018

36269 Non-Small Cell Lung Carcinoma Mutation Analysis Panel (BRAF, EGFR, and KRAS) with Reflex to ALK, RET, ROS1, and MET by FISH

Effective May 1, 2018

Test name changed.

Change in reflex algorithm:

Delete reflex test:

- 36034 Non-Small Cell Lung Carcinoma Panel by FISH (ALK, RET, ROS1)

Add reflex test:

- 36035 Non-Small Cell Lung Carcinoma Panel by FISH (ALK, RET, ROS1, MET)

NEW TEST

36035 Non-Small Cell Lung Carcinoma Panel by FISH (ALK, RET, ROS1, MET)

Available May 1, 2018

43707 Paraneoplastic Autoantibody Evaluation with Reflex to Titer and Line Blot, Serum

Effective May 14, 2018

Test name/reflex test methodology changed – Western Blot changed to Line Blot

Component Description changed:

- VGCC Antibody Assay (2143707) changed to: VGCC Type P/Q Ab

NEW TEST

30182 QuantiFERON-TB Gold Plus

Available May 1, 2018

Client prices for TB Gold will not be applied to TB Gold Plus.

43716 REFLEX: Paraneoplastic Antibody, Line Blot, Serum

Effective May 14, 2018

Test name and methodology changed – Western Blot changed to Line Blot

Component Descriptions changed:

- ANNA1 (Hu) Ab, WB (1043716) changed to: ANNA1 (Hu) Ab, LB
 - ANNA2 (Ri) Ab, WB (1143716) changed to: ANNA2 (Ri) Ab, LB
 - PCA1 (Yo) Ab, WB (1243716) changed to: PCA1 (Yo) Ab, LB
 - CRMP5/CV2 Ab, WB (1343716) changed to: CRMP5/CV2 Ab, LB
 - Amphiphysin Ab, WB (1443716) changed to: Amphiphysin Ab, LB
 - GAD65 Ab, WB (1543716) changed to: GAD65 Ab, LB
-