

The tests listed in this table will be DELETED from our catalog. Replacement or alternate tests are noted if applicable.			
SBMF#	Effective	Deleted Test	Replacement / Alternate Test
47437	09.10.2018	Fungal Detection by PCR	PanFungal Identification by Sequencing (47645)
43622	Immediate	HPV DNA, High Risk, Anal-Rectal	HPV mRNA E6/E7, Rectal (43769)
42157	09.10.2018	Smith-Lemli-Opitz Screen, Plasma	7-Dehydrocholesterol, Plasma (43768)
46138	09.10.2018	Zolpidem and Metabolites, Quantitative, Urine	Zolpidem Screen with Reflex to Quantitation, Urine (47374), <b>OR</b> Zolpidem, Quantitative, Urine (47375)

**NEW TEST**

**43768 7-Dehydrocholesterol, Plasma**

Available Now

**42326 Fibroblast Growth Factor 23 (FGF-23), Plasma**

Effective Immediately

This test previously performed at Mayo Medical Laboratories is now performed at Pan Laboratories.

**45351 Gonadotropin Releasing Hormone (Gn RH)**

Effective Immediately

This test previously performed at Inter Science Institute is now performed at Pan Laboratories.

**43623 HPV DNA, Low and High Risk, Anal-Rectal**

Effective Immediately

This test previously performed at Quest Diagnostics Infectious Disease, Inc. is now performed at Quest Diagnostics Nichols Institute, Chantilly.

**NEW TEST**

**43771 HPV Genotypes 16, 18/45, Anal-Rectal**

Available Now

**NEW TEST**

**43769 HPV mRNA E6/E7, Rectal**

Available Now

---

**NEW TEST**

**43770 HPV mRNA E6/E7, Rectal with Reflex to Genotypes, 16, 18/45**

Available Now

If HPV mRNA E6/E7, Rectal is Detected, HPV Genotypes 16, 18/45, Anal-Rectal will be performed at an additional charge.

---

**33245 Matrix Metalloproteinase- 9 (MMP-9)**

Effective Immediately

This test previously performed at Esoterix Colorado Coagulation is now performed at Pan Laboratories.

---

**NEW TEST**

**47645 PanFungal Identification by Sequencing**

Available Now

---

**33084 Prostaglandin D2 (PG D2), Urine**

Effective Immediately

Specimen: 5-10 mL of a random urine specimen, collected and frozen immediately.

24-hour urine collections are no longer acceptable.

Test name changed. Formerly "Prostaglandin D2 (PG D2), Urine, 24-Hour"

Remove Prompts/AOE Questions:

- 1233084 PG D2 - Volume
- 1133084 PG D2 - Duration

---

**33087 Prostaglandin E2 (PG E2), Urine**

Effective Immediately

Specimen: 5-10 mL of a random urine specimen, collected and frozen immediately.

24-hour urine collections are no longer acceptable.

Test name changed. Formerly "Prostaglandin E2 (PG E2), Urine, 24-Hour"

---

**43538 Streptomycin Level, Serum or Plasma**

Effective Immediately

Remove components:

- 1543538 Streptomycin - Comment
- 1643538 Streptomycin - Specimen